


- 
- ⟨☞⟩ Orthodontic Pliers
  - ⟨☞⟩ Orthodontic Cutters
  - ⟨☞⟩ Rongeurs
  - ⟨☞⟩ Needle Holders



# 07

SECTION





**2630**  
Light Wire Cutter



**2631**  
Wire Cutter



**2632**  
Posterior Band Remover  
Long



**2633**  
Posterior Band Remover  
Short



**2634**  
Jarabak Plier



**2635**  
Distal End Cutter  
Safety End Cutter



**2636**  
Distal End Cutter



**2637**  
Kim's Plier



**2638**  
Loop Forming Plier



**2639**  
Tweed Arch Bending Plier



**2640**  
Utility Plier



**2641**  
Bonding Bracket Remover




**2642**  
Lingual Arch Plier




**2643**  
Light Wire Plier




**2644**  
Wire Cutter  
12.5 cm




**2645**  
Fig. 101  
Wire Bending




**2646**  
Fig. 118  
PEESO  
Collar




**2647**  
Fig. 417  
Crown Shell



**2648**  
STEINER  
150 mm  
Ligature Pliers




**2649**  
Separating Pliers Elastics  
150 mm




**2650**  
121-Lab & Office



**2651**  
How Plier-Titanium Alloy  
With special coated beaks



**2652**  
How Plier  
Tips are 1/8"(3.2mm)  
diameter



**2653**  
How Plier  
Tips are 1/8"(3.2mm)  
diameter




**2654**  
How Plier-Small  
Tips are 3/32"(2.4mm)  
diameter




**2655**  
How Plier-Offset  
Tips are 1/8"(3.2mm)  
diameter




**2656**  
Weingart Utility Plier  
-Titanium Alloy  
with special coated beaks




**2657**  
Weingart Utility Plier  
New type of the Weingart Utility Plier  
designed for a more precise operation.




**2658**  
Weingart Utility Plier




**2659**  
Weingart Utility Plier




**2660**  
Weingart Utility Plier



**2661**  
Bird Beak Plier With Cutter  
**Maximum Bending &  
Cutting Capacity:**  
Wires up to .032"



**2662**  
Bird Beak Plier  
**Maximum Bending Capacity:**  
Wires up to .032"




**2663**  
Bird Beak Plier  
**Maximum Bending  
Capacity:**  
Wires up to .030"




**2664**  
TWEED (Fig. 98)  
13 cm, 5 1/8"  
Tweed Loop Omega Pliers.




**2665**  
TWEED - (Fig. 90)  
14 cm, 5 1/2"




**2666**  
O'BRIEN - (Fig. 97)  
14 cm, 5 1/2"



**2667**  
TWEED (Fig. 96)  
14 cm, 5 1/2"




**2668**  
TWEED (Fig. 95)  
13.5 cm, 5 1/4"




**2669**  
SCHWARZ (Fig. 29)  
12.5 cm, 5"




**2670**  
NANCE (Fig. 80)  
13 cm, 5 1/8"




**2671**  
YOUNG (Fig. 55)  
13 cm, 5 1/8"



**2672**  
SCHWARZ (Fig. 30)  
13 cm, 5 1/8"



**2673**  
Optical Plier (Fig. 53)  
14 cm, 5 1/2"



**2674**  
Schwarz (Fig. 79)  
13.5 cm, 5 1/4"



**2675**  
NANCE (Fig. 56)  
12.5 cm, 5"  
Wire bending Pliers



**2680**  
14.0 cm  
Goslee Contouring Plier



**2676**  
JOHNSON (Fig. 59)  
13.5 cm, 5 1/4"  
Contouring Plier.



**2678**  
De La Rosa (Fig. 34)  
12.5 cm, 5"  
Contouring Plier, Non-Grooved



**2677**  
REYNOLDS (Fig. 61)  
13 cm, 5 1/8"  
Contouring Plier.



**2679**  
De La Rosa (Fig. 35)  
12.5 cm, 5"  
Contouring Plier, Grooved



**2681**  
14.0 cm  
Goslee Contouring Plier




**2682**



**2683**  
Fig. 58  
12.5 cm, 5"  
Lingual Arch Bending Plier



**2684**  
Frevert/Tweed (Fig. 51)  
12.5 cm, 5"  
Tweed Arch Plier/Standard Jaw



**2685**




**2686**  
ANGLE (Fig. 52)  
13 cm, 5 1/8"  
Arch Forming Plier



**2687**  
Fig. 60  
13 cm, 5 1/8"  
Wire & Clasp Bending Pliers



**2688**  
Fig. 60  
13 cm, 5 1/8"  
Wire & Clasp Bending Pliers



**2689**  
Aderer (Fig. 57)  
12 cm, 4 3/4"  
Wire & Clasp Bending Pliers



**2690**  
49 e 49 TC  
14 cm, 5 1/2"  
Band Removing Plier, short pad



**2691**  
50 e 50 TC  
14 cm, 5 1/2"  
Band Removing Plier, long pad



**2692**  
Fig. 84  
14.5 cm, 5 3/4"  
Band pinshing & ligature  
locking plier, serrated



**2693**  
Fig. 72  
14 cm, 5 1/2"  
Band pinshing & ligature  
locking plier, serrated




**2694**  
BRACKET (Fig. 82)  
13.5 cm, 5 1/4"  
Direct Bonding Bracket Remover




**2695**  
BRACKET (Fig. 83)  
13.5 cm, 5 1/4"  
Direct Bonding  
Bracket Remover



**2696**  
38c, 38TC  
13.5 cm, 5 1/4"  
Contouring closing loop pliers,  
wire bending, cutter.




**2697**  
40c, 40TC  
13.5 cm, 5 1/4"  
Contouring pliers light wire pliers  
grooved with cutter.



**2698**  
Fig. 81  
12.5 cm, 5"  
Sling clasp & wire bending plier



**2699**  
Fig. 28  
14 cm, 5 1/2"  
Sling clasp & wire bending plier.



**2700**  
Fig. 21  
13 cm, 5 1/8"  
Light wires pliers, grooved



**2701**  
ADAMS, 23, 23TC  
12.5 cm, 5"  
Sling clasp & wire bending plier.



**2702**  
ADAMS (Fig. 33)  
12.5 cm, 5"  
For retaining elements.



**2703**  
ADAMS (Fig. 44)  
12.5 cm, 5"  
Sling clasp & wire bending plier.

**2704**  
46c - 46 TC  
ADAMS - N. 139c  
12.5 cm, 5"  
Bird beak with cutter.



**2705**  
Universal Wire Bending  
Pliers (ADAMS) 47 TC, N.64  
12.5 cm, 5"  
Sling clasp & wire bending plier.



**2706**  
86c, 86 TC  
Angle Bird Beak - N.138  
12.5 cm, 5"  
Sling clasp & wire bending plier.





Ø 1.0 mm  
(0.40")

**2707**  
Fig. 18 TC  
15 cm, 6"



Ø 1.0 mm  
(0.40")

**2708**  
Fig. 92 TC  
14 cm, 5 1/2"



Ø 0.4 mm  
(0.16")

**2709**  
Fig. 91 TC  
13 cm, 5 1/8"



Ø 0.4 mm  
(0.16")

**2710**  
Fig. 99 TC  
13 cm, 5 1/8"



Ø 0.4 mm  
(0.16")

**2711**  
Fig. 94 TC  
13 cm, 5 1/8"  
Angled at 15° with or  
without spring on \  
the handles.



**2712**  
Fig. 85 TC  
13 cm, 5 1/8"



**2713**  
Fig. 87 TC  
13 cm, 5 1/8"



**2714**  
Fig. 85 TC  
Angled at 15  
13 cm, 5 1/8"



**2715**  
ADAMS 87 TC  
Angled at 15  
13 cm, 5 1/8"



**2716**  
Fig. 89 TC



**2717**  
Fig. 64 TC  
13 cm, 5 1/8"



**2718**  
Fig. 67 TC  
13 cm, 5 1/8"




**2719**  
Fig. 88 TC  
13 cm, 5 1/8"



**2720**  
Fig. 77 TC  
13 cm, 5 1/8"




**2721  
UNIVERSAL**  
150 mm



**2722  
WALDSACHS**  
155 mm



**2723  
ADERER**  
125 mm



**2724  
NANCE**  
125 mm



**2725  
REYNOLDS**  
125 mm



**2726  
HOW**  
145 mm




**2727  
HOW**  
140 mm



**2731  
FURRER**  
150 mm




**2728  
WALDRON**  
125 mm




**2729  
ADAMS**  
125 mm



**2730  
ANGLE**  
125 mm



**2732  
YOUNG**  
130 mm




**2733  
NANCE**  
130 mm




**2734  
LANGEBECK  
125 mm**




**2735  
LANGEBECK  
140 mm**




**2736  
LANGEBECK  
130 mm**



**2737  
PEESO  
125 mm**



**2738  
GOSLEE  
125 mm**




**2739  
FISCHER  
140 mm**



**2740  
FISCHER  
140 mm**



**2741  
JOHNSON  
130 mm**



**2742  
MSY  
130 mm**



**2743  
MC KELLOPS  
155 mm**




**2744  
ANDRESEN  
130 mm**




**2745  
SCHWARZ  
130 mm**




**2746**  
BLUMENTHAL  
6", 30°, Standard




**2747**  
MINI-BLUMENTHAL  
6", 45°




**2748**  
MINI-BLUMENTHAL  
6", 90°



**2749**  
BLUMENTHAL  
7", 30°




**2750**  
MINI-BLUMENTHAL  
4 1/2", 30°




**2751**  
MINI-BLUMENTHAL  
4 1/2", 45°




**2752**  
CLEVELAND  
No. 5-Side Cutting,  
6 3/4"




**2753**  
CLEVELAND  
No. 5A-Side Cutting,  
6 1/2"




**2754**  
CLEVELAND  
No. 5S-Side Cutting,  
6"



**2755**  
No. 1A-MEAD  
6 1/2"




**2756**  
MEAD, Square  
No. 2A  
Tips, 6 1/2"




**2757**




**2757  
FRIEDMAN  
5 1/2"**




**2758  
MICRO-FRIEDMAN  
5 1/2", 15° Curved Jaws**




**2759  
MICRO-FRIEDMAN  
Perio Rongeur, 5 1/2"**



**2760  
CLEVELAND  
No. 4 - 5 1/2"**



**2761  
CLEVELAND  
No. 4A - 6 1/2"**




**2762  
GARDNER  
No. 6A, End Cutting  
6 1/2"**




**2763**  
**BEYER**  
Double Action,  
16,18 cm



**2764**  
**No. 1**  
6 1/2"



**2765**  
**HARTMAN**  
5 3/4"  
Strong Curve



**2766**  
**BANE**  
Slight Curve  
7"







**2767**  
COLLIER  
5", Fenestrated Jaws



**2768**  
DERF  
4 3/4"



**2769**  
WEBSTER  
Delicate Smooth Jaws  
5"



**2770**  
NEIVERT  
One Offset Ring  
5"



**2771**  
OLSEN-HEGAR  
5 1/2"




**2772**  
BAUMGARTNER  
5 1/2"



**2773**  
CRILE-WOOD  
6"



**2774**  
GARDNER  
5"



**2775**  
MAYO-HEGAR  
5"

**2776**  
CASTROVIEJO  
Smooth Jaws  
14 cm

**2777**  
CASTROVIEJO  
Smooth Jaws  
14 cm

**2778**  
CASTROVIEJO  
Smooth Jaws  
14 cm

**2778**  
CASTROVIEJO  
Smooth Jaws  
14 cm

**2779**  
CASTROVIEJO  
Smooth Jaws  
18 cm

**2780**  
CASTROVIEJO  
Smooth Jaws  
18 cm



**2781**  
BOYNTON  
5"

**2782**  
CRILE  
6"

**2783**  
MATHIEU  
5 ½"

**2784**  
STEVENS  
6 ½"



**2785**  
Micro Scissor  
Straight, 155 mm



**2786**  
Micro Scissor  
Straight, 150 mm



**2787**  
Micro Scissor  
Curved, 150 mm



**2788**  
Micro Scissor  
Curved, 155 mm



**2789**  
CASTROVIEJO  
T.C.  
Straight, 180 mm



**2790**  
Retractor  
Fig.3  
165 mm



**2791**  
Micro Adson  
120 mm




**2792**  
GERALD  
Curved,  
180 mm



**2793**  
GERALD  
Straight,  
175 mm



**2794**  
Micro Adson  
160 mm



**2795**  
Micro Surgery Set 10 Pieces.



Manufacturer & Supplier Premium Quality Surgical, Dental,  
Podiatry, Pet Grooming and Beauty Care Instruments.

**USA Address:**

 5900 Balcones Drive # 16244  
Austin TX, USA 78731.  
 +1 (917) 773 3694  
 **uk:** +44 7871 836765  
 info@neoaindustry.com  
neoaindustry4@gmail.com  
 www.neoaindustry.com

**Main Head Office:**

 Roars Road New Miana Pura  
West, Sialkot 51310 Pakistan.  
 +92 322 5587688  
 +92 322 5587688  
 info@neoaindustry.com  
neoaindustry4@gmail.com  
 www.neoaindustry.com

